



Patterson Irrigation District

Main River Section - Hourly Flow Averages

Start	11/17/2025 12:00:00 AM
End	11/24/2025 12:00:00 AM

Report Generated 11/24/2025 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
11/17/2025 12:00:00 AM	error	-	1.1	0.1
11/17/2025 01:00:00 AM	error	-	1.6	0.1
11/17/2025 02:00:00 AM	error	-	1.9	0.2
11/17/2025 03:00:00 AM	error	-	2.0	0.2
11/17/2025 04:00:00 AM	error	-	1.8	0.2
11/17/2025 05:00:00 AM	error	-	1.8	0.1
11/17/2025 06:00:00 AM	error	-	1.9	0.2
11/17/2025 07:00:00 AM	error	-	1.8	0.2
11/17/2025 08:00:00 AM	error	-	1.2	0.1
11/17/2025 09:00:00 AM	error	-	0.6	0.0
11/17/2025 10:00:00 AM	error	-	0.4	0.0
11/17/2025 11:00:00 AM	error	-	0.9	0.1
11/17/2025 12:00:00 PM	error	-	1.6	0.1
11/17/2025 01:00:00 PM	error	-	1.7	0.1
11/17/2025 02:00:00 PM	error	-	1.1	0.1
11/17/2025 03:00:00 PM	error	-	0.1	0.0
11/17/2025 04:00:00 PM	error	-	1.8	0.1
11/17/2025 05:00:00 PM	error	-	1.6	0.1
11/17/2025 06:00:00 PM	error	-	1.1	0.1
11/17/2025 07:00:00 PM	error	-	1.5	0.1
11/17/2025 08:00:00 PM	error	-	0.7	0.1
11/17/2025 09:00:00 PM	error	-	error	-
11/17/2025 10:00:00 PM	error	-	error	-
11/17/2025 11:00:00 PM	error	-	0.0	0.0
11/18/2025 12:00:00 AM	error	-	1.2	0.1
11/18/2025 01:00:00 AM	error	-	0.5	0.0
11/18/2025 02:00:00 AM	error	-	error	-
11/18/2025 03:00:00 AM	error	-	error	-
11/18/2025 04:00:00 AM	error	-	0.4	0.0
11/18/2025 05:00:00 AM	error	-	0.4	0.0
11/18/2025 06:00:00 AM	error	-	0.3	0.0
11/18/2025 07:00:00 AM	error	-	1.4	0.1
11/18/2025 08:00:00 AM	error	-	1.0	0.1
11/18/2025 09:00:00 AM	error	-	1.2	0.1
11/18/2025 10:00:00 AM	error	-	0.9	0.1
11/18/2025 11:00:00 AM	error	-	1.5	0.1
11/18/2025 12:00:00 PM	error	-	error	-
11/18/2025 01:00:00 PM	error	-	0.7	0.1
11/18/2025 02:00:00 PM	error	-	0.9	0.1
11/18/2025 03:00:00 PM	error	-	1.2	0.1
11/18/2025 04:00:00 PM	error	-	2.5	0.2
11/18/2025 05:00:00 PM	error	-	0.7	0.1
11/18/2025 06:00:00 PM	error	-	error	-
11/18/2025 07:00:00 PM	error	-	error	-
11/18/2025 08:00:00 PM	error	-	error	-
11/18/2025 09:00:00 PM	error	-	error	-
11/18/2025 10:00:00 PM	error	-	error	-
11/18/2025 11:00:00 PM	error	-	error	-
11/19/2025 12:00:00 AM	error	-	error	-
11/19/2025 01:00:00 AM	error	-	error	-
11/19/2025 02:00:00 AM	error	-	error	-
11/19/2025 03:00:00 AM	error	-	error	-
11/19/2025 04:00:00 AM	error	-	error	-
11/19/2025 05:00:00 AM	error	-	error	-



Patterson Irrigation District

Main River Section - Hourly Flow Averages

Start	11/17/2025 12:00:00 AM
End	11/24/2025 12:00:00 AM

Report Generated 11/24/2025 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
11/19/2025 06:00:00 AM	error	-	error	-
11/19/2025 07:00:00 AM	error	-	error	-
11/19/2025 08:00:00 AM	error	-	error	-
11/19/2025 09:00:00 AM	error	-	error	-
11/19/2025 10:00:00 AM	error	-	error	-
11/19/2025 11:00:00 AM	error	-	error	-
11/19/2025 12:00:00 PM	error	-	error	-
11/19/2025 01:00:00 PM	error	-	1.4	0.1
11/19/2025 02:00:00 PM	error	-	0.0	0.0
11/19/2025 03:00:00 PM	error	-	error	-
11/19/2025 04:00:00 PM	error	-	1.1	0.1
11/19/2025 05:00:00 PM	error	-	1.5	0.1
11/19/2025 06:00:00 PM	error	-	error	-
11/19/2025 07:00:00 PM	error	-	error	-
11/19/2025 08:00:00 PM	error	-	error	-
11/19/2025 09:00:00 PM	error	-	error	-
11/19/2025 10:00:00 PM	error	-	error	-
11/19/2025 11:00:00 PM	error	-	error	-
11/20/2025 12:00:00 AM	error	-	1.1	0.1
11/20/2025 01:00:00 AM	error	-	1.0	0.1
11/20/2025 02:00:00 AM	error	-	1.1	0.1
11/20/2025 03:00:00 AM	error	-	0.6	0.0
11/20/2025 04:00:00 AM	error	-	1.7	0.1
11/20/2025 05:00:00 AM	error	-	1.0	0.1
11/20/2025 06:00:00 AM	error	-	0.4	0.0
11/20/2025 07:00:00 AM	error	-	2.8	0.2
11/20/2025 08:00:00 AM	error	-	1.5	0.1
11/20/2025 09:00:00 AM	error	-	1.2	0.1
11/20/2025 10:00:00 AM	error	-	1.3	0.1
11/20/2025 11:00:00 AM	error	-	1.4	0.1
11/20/2025 12:00:00 PM	error	-	1.0	0.1
11/20/2025 01:00:00 PM	error	-	1.2	0.1
11/20/2025 02:00:00 PM	error	-	1.0	0.1
11/20/2025 03:00:00 PM	error	-	0.7	0.1
11/20/2025 04:00:00 PM	error	-	1.5	0.1
11/20/2025 05:00:00 PM	error	-	2.0	0.2
11/20/2025 06:00:00 PM	error	-	0.0	0.0
11/20/2025 07:00:00 PM	error	-	error	-
11/20/2025 08:00:00 PM	error	-	error	-
11/20/2025 09:00:00 PM	error	-	error	-
11/20/2025 10:00:00 PM	error	-	error	-
11/20/2025 11:00:00 PM	error	-	error	-
11/21/2025 12:00:00 AM	error	-	error	-
11/21/2025 01:00:00 AM	error	-	error	-
11/21/2025 02:00:00 AM	error	-	0.4	0.0
11/21/2025 03:00:00 AM	error	-	error	-
11/21/2025 04:00:00 AM	error	-	0.6	0.0
11/21/2025 05:00:00 AM	error	-	1.0	0.1
11/21/2025 06:00:00 AM	error	-	error	-
11/21/2025 07:00:00 AM	error	-	error	-
11/21/2025 08:00:00 AM	error	-	error	-
11/21/2025 09:00:00 AM	error	-	error	-
11/21/2025 10:00:00 AM	error	-	error	-
11/21/2025 11:00:00 AM	error	-	error	-



Patterson Irrigation District

Main River Section - Hourly Flow Averages

Start	11/17/2025 12:00:00 AM
End	11/24/2025 12:00:00 AM

Report Generated 11/24/2025 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
11/21/2025 12:00:00 PM	error	-	error	-
11/21/2025 01:00:00 PM	error	-	0.5	0.0
11/21/2025 02:00:00 PM	error	-	0.6	0.0
11/21/2025 03:00:00 PM	error	-	error	-
11/21/2025 04:00:00 PM	error	-	2.5	0.2
11/21/2025 05:00:00 PM	error	-	0.1	0.0
11/21/2025 06:00:00 PM	error	-	error	-
11/21/2025 07:00:00 PM	error	-	error	-
11/21/2025 08:00:00 PM	error	-	error	-
11/21/2025 09:00:00 PM	error	-	error	-
11/21/2025 10:00:00 PM	error	-	error	-
11/21/2025 11:00:00 PM	error	-	error	-
11/22/2025 12:00:00 AM	error	-	error	-
11/22/2025 01:00:00 AM	error	-	error	-
11/22/2025 02:00:00 AM	error	-	error	-
11/22/2025 03:00:00 AM	error	-	error	-
11/22/2025 04:00:00 AM	error	-	error	-
11/22/2025 05:00:00 AM	error	-	error	-
11/22/2025 06:00:00 AM	error	-	error	-
11/22/2025 07:00:00 AM	error	-	error	-
11/22/2025 08:00:00 AM	error	-	error	-
11/22/2025 09:00:00 AM	error	-	error	-
11/22/2025 10:00:00 AM	error	-	error	-
11/22/2025 11:00:00 AM	error	-	error	-
11/22/2025 12:00:00 PM	error	-	error	-
11/22/2025 01:00:00 PM	error	-	error	-
11/22/2025 02:00:00 PM	error	-	error	-
11/22/2025 03:00:00 PM	error	-	0.0	0.0
11/22/2025 04:00:00 PM	error	-	1.1	0.1
11/22/2025 05:00:00 PM	error	-	error	-
11/22/2025 06:00:00 PM	error	-	error	-
11/22/2025 07:00:00 PM	error	-	error	-
11/22/2025 08:00:00 PM	error	-	error	-
11/22/2025 09:00:00 PM	error	-	error	-
11/22/2025 10:00:00 PM	error	-	error	-
11/22/2025 11:00:00 PM	error	-	error	-
11/23/2025 12:00:00 AM	error	-	error	-
11/23/2025 01:00:00 AM	error	-	error	-
11/23/2025 02:00:00 AM	error	-	error	-
11/23/2025 03:00:00 AM	error	-	error	-
11/23/2025 04:00:00 AM	error	-	error	-
11/23/2025 05:00:00 AM	error	-	error	-
11/23/2025 06:00:00 AM	error	-	error	-
11/23/2025 07:00:00 AM	error	-	error	-
11/23/2025 08:00:00 AM	error	-	error	-
11/23/2025 09:00:00 AM	error	-	error	-
11/23/2025 10:00:00 AM	error	-	error	-
11/23/2025 11:00:00 AM	error	-	error	-
11/23/2025 12:00:00 PM	error	-	error	-
11/23/2025 01:00:00 PM	error	-	0.0	0.0
11/23/2025 02:00:00 PM	error	-	0.9	0.1
11/23/2025 03:00:00 PM	error	-	error	-
11/23/2025 04:00:00 PM	error	-	1.0	0.1
11/23/2025 05:00:00 PM	error	-	error	-



Patterson Irrigation District

Main River Section - Hourly Flow Averages

Start	11/17/2025 12:00:00 AM
End	11/24/2025 12:00:00 AM

Report Generated 11/24/2025 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
11/23/2025 06:00:00 PM	error	-	error	-
11/23/2025 07:00:00 PM	error	-	error	-
11/23/2025 08:00:00 PM	error	-	error	-
11/23/2025 09:00:00 PM	error	-	error	-
11/23/2025 10:00:00 PM	error	-	error	-
11/23/2025 11:00:00 PM	error	-	error	-
Average Flow:	-	-	1.08	6.45
Dataset Device Utilized:	SONTEK SL	SONTEK SL	SOMMERS RQ-30	SOMMERS RQ-30

*Amount diverted is calculated using the average hourly flow rate in CFS.