



# Patterson Irrigation District

## Main River Section - Hourly Flow Averages

<b>Start</b>	02/09/2026 12:00:00 AM
<b>End</b>	02/16/2026 12:00:00 AM

Report Generated 02/16/2026 07:00:00 AM

### PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
02/09/2026 12:00:00 AM	32.2	2.7	error	-
02/09/2026 01:00:00 AM	31.9	2.6	error	-
02/09/2026 02:00:00 AM	31.4	2.6	error	-
02/09/2026 03:00:00 AM	31.6	2.6	error	-
02/09/2026 04:00:00 AM	32.3	2.7	error	-
02/09/2026 05:00:00 AM	31.2	2.6	error	-
02/09/2026 06:00:00 AM	31.3	2.6	error	-
02/09/2026 07:00:00 AM	32.6	2.7	error	-
02/09/2026 08:00:00 AM	31.5	2.6	error	-
02/09/2026 09:00:00 AM	30.6	2.5	error	-
02/09/2026 10:00:00 AM	30.7	2.5	error	-
02/09/2026 11:00:00 AM	31.3	2.6	error	-
02/09/2026 12:00:00 PM	31.6	2.6	error	-
02/09/2026 01:00:00 PM	31.1	2.6	error	-
02/09/2026 02:00:00 PM	31.6	2.6	error	-
02/09/2026 03:00:00 PM	33.0	2.7	error	-
02/09/2026 04:00:00 PM	32.6	2.7	error	-
02/09/2026 05:00:00 PM	32.3	2.7	error	-
02/09/2026 06:00:00 PM	33.3	2.8	error	-
02/09/2026 07:00:00 PM	32.1	2.7	error	-
02/09/2026 08:00:00 PM	32.5	2.7	error	-
02/09/2026 09:00:00 PM	32.2	2.7	error	-
02/09/2026 10:00:00 PM	31.3	2.6	error	-
02/09/2026 11:00:00 PM	31.1	2.6	error	-
02/10/2026 12:00:00 AM	32.3	2.7	error	-
02/10/2026 01:00:00 AM	30.8	2.5	error	-
02/10/2026 02:00:00 AM	30.1	2.5	error	-
02/10/2026 03:00:00 AM	31.0	2.6	error	-
02/10/2026 04:00:00 AM	30.6	2.5	error	-
02/10/2026 05:00:00 AM	29.9	2.5	error	-
02/10/2026 06:00:00 AM	29.1	2.4	error	-
02/10/2026 07:00:00 AM	29.3	2.4	error	-
02/10/2026 08:00:00 AM	29.2	2.4	error	-
02/10/2026 09:00:00 AM	29.3	2.4	error	-
02/10/2026 10:00:00 AM	29.9	2.5	error	-
02/10/2026 11:00:00 AM	29.7	2.5	error	-
02/10/2026 12:00:00 PM	30.7	2.5	error	-
02/10/2026 01:00:00 PM	31.3	2.6	error	-
02/10/2026 02:00:00 PM	31.6	2.6	error	-
02/10/2026 03:00:00 PM	30.8	2.5	error	-
02/10/2026 04:00:00 PM	31.0	2.6	error	-
02/10/2026 05:00:00 PM	30.9	2.6	error	-
02/10/2026 06:00:00 PM	29.7	2.5	error	-
02/10/2026 07:00:00 PM	30.6	2.5	error	-
02/10/2026 08:00:00 PM	30.1	2.5	error	-
02/10/2026 09:00:00 PM	29.8	2.5	error	-
02/10/2026 10:00:00 PM	30.1	2.5	error	-
02/10/2026 11:00:00 PM	29.0	2.4	error	-
02/11/2026 12:00:00 AM	30.1	2.5	error	-
02/11/2026 01:00:00 AM	29.3	2.4	error	-
02/11/2026 02:00:00 AM	28.6	2.4	error	-
02/11/2026 03:00:00 AM	29.0	2.4	error	-
02/11/2026 04:00:00 AM	28.6	2.4	error	-
02/11/2026 05:00:00 AM	28.6	2.4	error	-



# Patterson Irrigation District

## Main River Section - Hourly Flow Averages

<b>Start</b>	02/09/2026 12:00:00 AM
<b>End</b>	02/16/2026 12:00:00 AM

Report Generated 02/16/2026 07:00:00 AM

### PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
02/11/2026 06:00:00 AM	28.9	2.4	error	-
02/11/2026 07:00:00 AM	28.7	2.4	error	-
02/11/2026 08:00:00 AM	28.9	2.4	error	-
02/11/2026 09:00:00 AM	29.0	2.4	error	-
02/11/2026 10:00:00 AM	29.7	2.5	error	-
02/11/2026 11:00:00 AM	29.7	2.5	error	-
02/11/2026 12:00:00 PM	31.1	2.6	error	-
02/11/2026 01:00:00 PM	31.6	2.6	error	-
02/11/2026 02:00:00 PM	32.1	2.7	error	-
02/11/2026 03:00:00 PM	31.6	2.6	error	-
02/11/2026 04:00:00 PM	31.7	2.6	error	-
02/11/2026 05:00:00 PM	32.2	2.7	error	-
02/11/2026 06:00:00 PM	32.1	2.6	error	-
02/11/2026 07:00:00 PM	32.3	2.7	error	-
02/11/2026 08:00:00 PM	31.7	2.6	error	-
02/11/2026 09:00:00 PM	31.1	2.6	error	-
02/11/2026 10:00:00 PM	32.1	2.7	error	-
02/11/2026 11:00:00 PM	31.8	2.6	error	-
02/12/2026 12:00:00 AM	31.7	2.6	error	-
02/12/2026 01:00:00 AM	31.2	2.6	error	-
02/12/2026 02:00:00 AM	30.7	2.5	error	-
02/12/2026 03:00:00 AM	31.4	2.6	error	-
02/12/2026 04:00:00 AM	30.1	2.5	error	-
02/12/2026 05:00:00 AM	29.8	2.5	error	-
02/12/2026 06:00:00 AM	30.1	2.5	error	-
02/12/2026 07:00:00 AM	30.4	2.5	error	-
02/12/2026 08:00:00 AM	29.6	2.4	error	-
02/12/2026 09:00:00 AM	29.6	2.4	error	-
02/12/2026 10:00:00 AM	29.8	2.5	error	-
02/12/2026 11:00:00 AM	29.9	2.5	error	-
02/12/2026 12:00:00 PM	31.0	2.6	error	-
02/12/2026 01:00:00 PM	31.5	2.6	error	-
02/12/2026 02:00:00 PM	32.2	2.7	error	-
02/12/2026 03:00:00 PM	31.9	2.6	error	-
02/12/2026 04:00:00 PM	32.2	2.7	error	-
02/12/2026 05:00:00 PM	35.2	2.9	error	-
02/12/2026 06:00:00 PM	35.1	2.9	error	-
02/12/2026 07:00:00 PM	33.4	2.8	error	-
02/12/2026 08:00:00 PM	32.8	2.7	error	-
02/12/2026 09:00:00 PM	32.2	2.7	error	-
02/12/2026 10:00:00 PM	33.4	2.8	error	-
02/12/2026 11:00:00 PM	33.3	2.8	error	-
02/13/2026 12:00:00 AM	32.2	2.7	error	-
02/13/2026 01:00:00 AM	33.0	2.7	error	-
02/13/2026 02:00:00 AM	32.6	2.7	error	-
02/13/2026 03:00:00 AM	30.5	2.5	error	-
02/13/2026 04:00:00 AM	32.1	2.7	error	-
02/13/2026 05:00:00 AM	31.4	2.6	error	-
02/13/2026 06:00:00 AM	30.9	2.6	error	-
02/13/2026 07:00:00 AM	30.8	2.5	error	-
02/13/2026 08:00:00 AM	31.2	2.6	error	-
02/13/2026 09:00:00 AM	33.3	2.8	error	-
02/13/2026 10:00:00 AM	34.3	2.8	error	-
02/13/2026 11:00:00 AM	33.0	2.7	error	-



# Patterson Irrigation District

## Main River Section - Hourly Flow Averages

<b>Start</b>	02/09/2026 12:00:00 AM
<b>End</b>	02/16/2026 12:00:00 AM

Report Generated 02/16/2026 07:00:00 AM

### PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
02/13/2026 12:00:00 PM	33.8	2.8	error	-
02/13/2026 01:00:00 PM	35.8	3.0	error	-
02/13/2026 02:00:00 PM	34.7	2.9	error	-
02/13/2026 03:00:00 PM	36.3	3.0	error	-
02/13/2026 04:00:00 PM	38.3	3.2	error	-
02/13/2026 05:00:00 PM	34.9	2.9	error	-
02/13/2026 06:00:00 PM	33.2	2.7	error	-
02/13/2026 07:00:00 PM	35.4	2.9	error	-
02/13/2026 08:00:00 PM	33.7	2.8	error	-
02/13/2026 09:00:00 PM	33.6	2.8	error	-
02/13/2026 10:00:00 PM	34.3	2.8	error	-
02/13/2026 11:00:00 PM	33.5	2.8	error	-
02/14/2026 12:00:00 AM	33.6	2.8	error	-
02/14/2026 01:00:00 AM	33.7	2.8	error	-
02/14/2026 02:00:00 AM	34.4	2.8	error	-
02/14/2026 03:00:00 AM	33.9	2.8	error	-
02/14/2026 04:00:00 AM	33.3	2.7	error	-
02/14/2026 05:00:00 AM	33.8	2.8	error	-
02/14/2026 06:00:00 AM	33.3	2.8	error	-
02/14/2026 07:00:00 AM	33.6	2.8	error	-
02/14/2026 08:00:00 AM	33.4	2.8	error	-
02/14/2026 09:00:00 AM	33.5	2.8	error	-
02/14/2026 10:00:00 AM	33.5	2.8	error	-
02/14/2026 11:00:00 AM	34.1	2.8	error	-
02/14/2026 12:00:00 PM	34.1	2.8	error	-
02/14/2026 01:00:00 PM	34.0	2.8	error	-
02/14/2026 02:00:00 PM	34.3	2.8	error	-
02/14/2026 03:00:00 PM	34.0	2.8	error	-
02/14/2026 04:00:00 PM	34.9	2.9	error	-
02/14/2026 05:00:00 PM	35.0	2.9	error	-
02/14/2026 06:00:00 PM	34.2	2.8	error	-
02/14/2026 07:00:00 PM	34.0	2.8	error	-
02/14/2026 08:00:00 PM	34.1	2.8	error	-
02/14/2026 09:00:00 PM	33.8	2.8	error	-
02/14/2026 10:00:00 PM	34.3	2.8	error	-
02/14/2026 11:00:00 PM	34.5	2.9	error	-
02/15/2026 12:00:00 AM	33.5	2.8	error	-
02/15/2026 01:00:00 AM	33.5	2.8	error	-
02/15/2026 02:00:00 AM	34.0	2.8	error	-
02/15/2026 03:00:00 AM	33.9	2.8	error	-
02/15/2026 04:00:00 AM	33.9	2.8	error	-
02/15/2026 05:00:00 AM	33.0	2.7	error	-
02/15/2026 06:00:00 AM	32.7	2.7	error	-
02/15/2026 07:00:00 AM	32.8	2.7	error	-
02/15/2026 08:00:00 AM	33.3	2.8	error	-
02/15/2026 09:00:00 AM	33.0	2.7	error	-
02/15/2026 10:00:00 AM	33.0	2.7	error	-
02/15/2026 11:00:00 AM	33.6	2.8	error	-
02/15/2026 12:00:00 PM	34.2	2.8	error	-
02/15/2026 01:00:00 PM	33.8	2.8	error	-
02/15/2026 02:00:00 PM	36.1	3.0	error	-
02/15/2026 03:00:00 PM	35.1	2.9	error	-
02/15/2026 04:00:00 PM	34.9	2.9	error	-
02/15/2026 05:00:00 PM	34.7	2.9	error	-



# Patterson Irrigation District

## Main River Section - Hourly Flow Averages

<b>Start</b>	02/09/2026 12:00:00 AM
<b>End</b>	02/16/2026 12:00:00 AM

Report Generated 02/16/2026 07:00:00 AM

### PP1 Weekly Report - Hourly Average Flow (CFS)

Date	PP1 Average Flow Rate (CFS) - Sontek	Amount Diverted (AF)* - Sontek	PP1 Average Flow Rate (CFS) - Sommers RQ-30	Amount Diverted (AF)* - Sommers RQ-30
02/15/2026 06:00:00 PM	34.8	2.9	error	-
02/15/2026 07:00:00 PM	35.2	2.9	error	-
02/15/2026 08:00:00 PM	34.1	2.8	error	-
02/15/2026 09:00:00 PM	34.3	2.8	error	-
02/15/2026 10:00:00 PM	34.5	2.9	error	-
02/15/2026 11:00:00 PM	34.6	2.9	error	-
<b>Average Flow:</b>	32.23	447.50	-	-
<b>Dataset Device Utilized:</b>	SONTEK SL	SONTEK SL	SOMMERS RQ-30	SOMMERS RQ-30

\*Amount diverted is calculated using the average hourly flow rate in CFS.