



Patterson Irrigation District

Main River Section - Hourly Flow Averages

| | |
|--------------|-------------------------------|
| Start | 12/29/2025 12:00:00 AM |
| End | 01/05/2026 12:00:00 AM |

Report Generated 01/05/2026 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

| Date | PP1 Average Flow Rate (CFS) - Sontek | Amount Diverted (AF)* - Sontek | PP1 Average Flow Rate (CFS) - Sommers RQ-30 | Amount Diverted (AF)* - Sommers RQ-30 |
|------------------------|--------------------------------------|--------------------------------|---|---------------------------------------|
| 12/29/2025 12:00:00 AM | 27.1 | 2.2 | error | - |
| 12/29/2025 01:00:00 AM | 27.4 | 2.3 | error | - |
| 12/29/2025 02:00:00 AM | 27.7 | 2.3 | error | - |
| 12/29/2025 03:00:00 AM | 27.4 | 2.3 | error | - |
| 12/29/2025 04:00:00 AM | 37.7 | 3.1 | error | - |
| 12/29/2025 05:00:00 AM | 39.1 | 3.2 | error | - |
| 12/29/2025 06:00:00 AM | 24.1 | 2.0 | error | - |
| 12/29/2025 07:00:00 AM | 30.4 | 2.5 | error | - |
| 12/29/2025 08:00:00 AM | 35.9 | 3.0 | error | - |
| 12/29/2025 09:00:00 AM | 33.8 | 2.8 | error | - |
| 12/29/2025 10:00:00 AM | 34.9 | 2.9 | error | - |
| 12/29/2025 11:00:00 AM | 35.1 | 2.9 | error | - |
| 12/29/2025 12:00:00 PM | 34.6 | 2.9 | error | - |
| 12/29/2025 01:00:00 PM | 34.2 | 2.8 | error | - |
| 12/29/2025 02:00:00 PM | 35.7 | 2.9 | error | - |
| 12/29/2025 03:00:00 PM | 35.7 | 3.0 | error | - |
| 12/29/2025 04:00:00 PM | 34.6 | 2.9 | error | - |
| 12/29/2025 05:00:00 PM | 34.4 | 2.8 | error | - |
| 12/29/2025 06:00:00 PM | 34.0 | 2.8 | error | - |
| 12/29/2025 07:00:00 PM | 33.5 | 2.8 | error | - |
| 12/29/2025 08:00:00 PM | 33.7 | 2.8 | error | - |
| 12/29/2025 09:00:00 PM | 34.9 | 2.9 | error | - |
| 12/29/2025 10:00:00 PM | 34.8 | 2.9 | error | - |
| 12/29/2025 11:00:00 PM | 35.4 | 2.9 | error | - |
| 12/30/2025 12:00:00 AM | 35.2 | 2.9 | error | - |
| 12/30/2025 01:00:00 AM | 34.6 | 2.9 | error | - |
| 12/30/2025 02:00:00 AM | 35.5 | 2.9 | error | - |
| 12/30/2025 03:00:00 AM | 34.8 | 2.9 | error | - |
| 12/30/2025 04:00:00 AM | 34.0 | 2.8 | error | - |
| 12/30/2025 05:00:00 AM | 34.1 | 2.8 | error | - |
| 12/30/2025 06:00:00 AM | 34.9 | 2.9 | error | - |
| 12/30/2025 07:00:00 AM | 35.1 | 2.9 | error | - |
| 12/30/2025 08:00:00 AM | 34.2 | 2.8 | error | - |
| 12/30/2025 09:00:00 AM | 33.7 | 2.8 | error | - |
| 12/30/2025 10:00:00 AM | 35.2 | 2.9 | error | - |
| 12/30/2025 11:00:00 AM | 35.2 | 2.9 | error | - |
| 12/30/2025 12:00:00 PM | 35.1 | 2.9 | error | - |
| 12/30/2025 01:00:00 PM | 34.9 | 2.9 | error | - |
| 12/30/2025 02:00:00 PM | 37.6 | 3.1 | error | - |
| 12/30/2025 03:00:00 PM | 36.1 | 3.0 | error | - |
| 12/30/2025 04:00:00 PM | 33.5 | 2.8 | error | - |
| 12/30/2025 05:00:00 PM | 35.7 | 3.0 | error | - |
| 12/30/2025 06:00:00 PM | 35.4 | 2.9 | error | - |
| 12/30/2025 07:00:00 PM | 33.9 | 2.8 | error | - |
| 12/30/2025 08:00:00 PM | 34.3 | 2.8 | error | - |
| 12/30/2025 09:00:00 PM | 34.2 | 2.8 | error | - |
| 12/30/2025 10:00:00 PM | 33.6 | 2.8 | error | - |
| 12/30/2025 11:00:00 PM | 34.8 | 2.9 | error | - |
| 12/31/2025 12:00:00 AM | 34.6 | 2.9 | error | - |
| 12/31/2025 01:00:00 AM | 34.0 | 2.8 | error | - |
| 12/31/2025 02:00:00 AM | 34.2 | 2.8 | error | - |
| 12/31/2025 03:00:00 AM | 34.6 | 2.9 | error | - |
| 12/31/2025 04:00:00 AM | 34.5 | 2.9 | error | - |
| 12/31/2025 05:00:00 AM | 34.5 | 2.8 | error | - |



Patterson Irrigation District

Main River Section - Hourly Flow Averages

| | |
|--------------|------------------------|
| Start | 12/29/2025 12:00:00 AM |
| End | 01/05/2026 12:00:00 AM |

Report Generated 01/05/2026 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

| Date | PP1 Average Flow Rate (CFS) - Sontek | Amount Diverted (AF)* - Sontek | PP1 Average Flow Rate (CFS) - Sommers RQ-30 | Amount Diverted (AF)* - Sommers RQ-30 |
|------------------------|--------------------------------------|--------------------------------|---|---------------------------------------|
| 12/31/2025 06:00:00 AM | 34.1 | 2.8 | error | - |
| 12/31/2025 07:00:00 AM | 34.2 | 2.8 | error | - |
| 12/31/2025 08:00:00 AM | 34.4 | 2.8 | error | - |
| 12/31/2025 09:00:00 AM | 33.8 | 2.8 | error | - |
| 12/31/2025 10:00:00 AM | 34.0 | 2.8 | error | - |
| 12/31/2025 11:00:00 AM | 33.5 | 2.8 | error | - |
| 12/31/2025 12:00:00 PM | 34.1 | 2.8 | error | - |
| 12/31/2025 01:00:00 PM | 34.7 | 2.9 | error | - |
| 12/31/2025 02:00:00 PM | 35.1 | 2.9 | error | - |
| 12/31/2025 03:00:00 PM | 34.1 | 2.8 | error | - |
| 12/31/2025 04:00:00 PM | 34.2 | 2.8 | error | - |
| 12/31/2025 05:00:00 PM | 34.8 | 2.9 | error | - |
| 12/31/2025 06:00:00 PM | 34.6 | 2.9 | error | - |
| 12/31/2025 07:00:00 PM | 34.9 | 2.9 | error | - |
| 12/31/2025 08:00:00 PM | 36.5 | 3.0 | error | - |
| 12/31/2025 09:00:00 PM | 34.7 | 2.9 | error | - |
| 12/31/2025 10:00:00 PM | 34.9 | 2.9 | error | - |
| 12/31/2025 11:00:00 PM | 35.4 | 2.9 | error | - |
| 01/01/2026 12:00:00 AM | 33.7 | 2.8 | error | - |
| 01/01/2026 01:00:00 AM | 34.6 | 2.9 | error | - |
| 01/01/2026 02:00:00 AM | 35.4 | 2.9 | error | - |
| 01/01/2026 03:00:00 AM | 34.7 | 2.9 | error | - |
| 01/01/2026 04:00:00 AM | 34.7 | 2.9 | error | - |
| 01/01/2026 05:00:00 AM | 33.8 | 2.8 | error | - |
| 01/01/2026 06:00:00 AM | 33.7 | 2.8 | error | - |
| 01/01/2026 07:00:00 AM | 35.3 | 2.9 | error | - |
| 01/01/2026 08:00:00 AM | 35.0 | 2.9 | error | - |
| 01/01/2026 09:00:00 AM | 33.8 | 2.8 | error | - |
| 01/01/2026 10:00:00 AM | 34.4 | 2.8 | error | - |
| 01/01/2026 11:00:00 AM | 35.2 | 2.9 | error | - |
| 01/01/2026 12:00:00 PM | 35.6 | 2.9 | error | - |
| 01/01/2026 01:00:00 PM | 35.9 | 3.0 | error | - |
| 01/01/2026 02:00:00 PM | 35.7 | 3.0 | error | - |
| 01/01/2026 03:00:00 PM | 34.9 | 2.9 | error | - |
| 01/01/2026 04:00:00 PM | 35.7 | 3.0 | error | - |
| 01/01/2026 05:00:00 PM | 34.9 | 2.9 | error | - |
| 01/01/2026 06:00:00 PM | 35.3 | 2.9 | error | - |
| 01/01/2026 07:00:00 PM | 35.1 | 2.9 | error | - |
| 01/01/2026 08:00:00 PM | 36.0 | 3.0 | error | - |
| 01/01/2026 09:00:00 PM | 35.1 | 2.9 | error | - |
| 01/01/2026 10:00:00 PM | 35.8 | 3.0 | error | - |
| 01/01/2026 11:00:00 PM | 35.5 | 2.9 | error | - |
| 01/02/2026 12:00:00 AM | 35.3 | 2.9 | error | - |
| 01/02/2026 01:00:00 AM | 36.3 | 3.0 | error | - |
| 01/02/2026 02:00:00 AM | 36.0 | 3.0 | error | - |
| 01/02/2026 03:00:00 AM | 36.1 | 3.0 | error | - |
| 01/02/2026 04:00:00 AM | 36.3 | 3.0 | error | - |
| 01/02/2026 05:00:00 AM | 36.0 | 3.0 | error | - |
| 01/02/2026 06:00:00 AM | 35.8 | 3.0 | error | - |
| 01/02/2026 07:00:00 AM | 35.9 | 3.0 | error | - |
| 01/02/2026 08:00:00 AM | 35.9 | 3.0 | error | - |
| 01/02/2026 09:00:00 AM | 35.2 | 2.9 | error | - |
| 01/02/2026 10:00:00 AM | 35.9 | 3.0 | error | - |
| 01/02/2026 11:00:00 AM | 35.0 | 2.9 | error | - |



Patterson Irrigation District

Main River Section - Hourly Flow Averages

| | |
|--------------|------------------------|
| Start | 12/29/2025 12:00:00 AM |
| End | 01/05/2026 12:00:00 AM |

Report Generated 01/05/2026 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

| Date | PP1 Average Flow Rate (CFS) - Sontek | Amount Diverted (AF)* - Sontek | PP1 Average Flow Rate (CFS) - Sommers RQ-30 | Amount Diverted (AF)* - Sommers RQ-30 |
|------------------------|--------------------------------------|--------------------------------|---|---------------------------------------|
| 01/02/2026 12:00:00 PM | 34.7 | 2.9 | error | - |
| 01/02/2026 01:00:00 PM | 34.4 | 2.8 | error | - |
| 01/02/2026 02:00:00 PM | 32.8 | 2.7 | error | - |
| 01/02/2026 03:00:00 PM | 32.9 | 2.7 | error | - |
| 01/02/2026 04:00:00 PM | 33.2 | 2.7 | error | - |
| 01/02/2026 05:00:00 PM | 32.3 | 2.7 | error | - |
| 01/02/2026 06:00:00 PM | 32.9 | 2.7 | error | - |
| 01/02/2026 07:00:00 PM | 32.8 | 2.7 | error | - |
| 01/02/2026 08:00:00 PM | 33.9 | 2.8 | error | - |
| 01/02/2026 09:00:00 PM | 32.5 | 2.7 | error | - |
| 01/02/2026 10:00:00 PM | 34.2 | 2.8 | error | - |
| 01/02/2026 11:00:00 PM | 34.3 | 2.8 | error | - |
| 01/03/2026 12:00:00 AM | 33.1 | 2.7 | error | - |
| 01/03/2026 01:00:00 AM | 32.8 | 2.7 | error | - |
| 01/03/2026 02:00:00 AM | 33.5 | 2.8 | error | - |
| 01/03/2026 03:00:00 AM | 33.2 | 2.7 | error | - |
| 01/03/2026 04:00:00 AM | 32.5 | 2.7 | error | - |
| 01/03/2026 05:00:00 AM | 33.2 | 2.7 | error | - |
| 01/03/2026 06:00:00 AM | 33.7 | 2.8 | error | - |
| 01/03/2026 07:00:00 AM | 33.2 | 2.7 | error | - |
| 01/03/2026 08:00:00 AM | 32.6 | 2.7 | error | - |
| 01/03/2026 09:00:00 AM | 32.9 | 2.7 | error | - |
| 01/03/2026 10:00:00 AM | 33.2 | 2.7 | error | - |
| 01/03/2026 11:00:00 AM | 32.7 | 2.7 | error | - |
| 01/03/2026 12:00:00 PM | 32.5 | 2.7 | error | - |
| 01/03/2026 01:00:00 PM | 31.7 | 2.6 | error | - |
| 01/03/2026 02:00:00 PM | 30.6 | 2.5 | error | - |
| 01/03/2026 03:00:00 PM | 31.0 | 2.6 | error | - |
| 01/03/2026 04:00:00 PM | 31.8 | 2.6 | error | - |
| 01/03/2026 05:00:00 PM | 33.2 | 2.7 | error | - |
| 01/03/2026 06:00:00 PM | 30.9 | 2.6 | error | - |
| 01/03/2026 07:00:00 PM | 31.7 | 2.6 | error | - |
| 01/03/2026 08:00:00 PM | 32.4 | 2.7 | error | - |
| 01/03/2026 09:00:00 PM | 31.8 | 2.6 | error | - |
| 01/03/2026 10:00:00 PM | 33.0 | 2.7 | error | - |
| 01/03/2026 11:00:00 PM | 32.8 | 2.7 | error | - |
| 01/04/2026 12:00:00 AM | 32.6 | 2.7 | error | - |
| 01/04/2026 01:00:00 AM | 33.0 | 2.7 | error | - |
| 01/04/2026 02:00:00 AM | 32.9 | 2.7 | error | - |
| 01/04/2026 03:00:00 AM | 32.6 | 2.7 | error | - |
| 01/04/2026 04:00:00 AM | 33.1 | 2.7 | error | - |
| 01/04/2026 05:00:00 AM | 32.2 | 2.7 | error | - |
| 01/04/2026 06:00:00 AM | 32.0 | 2.6 | error | - |
| 01/04/2026 07:00:00 AM | 31.9 | 2.6 | error | - |
| 01/04/2026 08:00:00 AM | 31.9 | 2.6 | error | - |
| 01/04/2026 09:00:00 AM | 30.8 | 2.5 | error | - |
| 01/04/2026 10:00:00 AM | 31.7 | 2.6 | error | - |
| 01/04/2026 11:00:00 AM | 31.5 | 2.6 | error | - |
| 01/04/2026 12:00:00 PM | 31.3 | 2.6 | error | - |
| 01/04/2026 01:00:00 PM | 31.3 | 2.6 | error | - |
| 01/04/2026 02:00:00 PM | 31.8 | 2.6 | error | - |
| 01/04/2026 03:00:00 PM | 32.4 | 2.7 | error | - |
| 01/04/2026 04:00:00 PM | 31.4 | 2.6 | error | - |
| 01/04/2026 05:00:00 PM | 31.7 | 2.6 | error | - |



Patterson Irrigation District

Main River Section - Hourly Flow Averages

| | |
|--------------|------------------------|
| Start | 12/29/2025 12:00:00 AM |
| End | 01/05/2026 12:00:00 AM |

Report Generated 01/05/2026 06:00:00 AM

PP1 Weekly Report - Hourly Average Flow (CFS)

| Date | PP1 Average Flow Rate (CFS) - Sontek | Amount Diverted (AF)* - Sontek | PP1 Average Flow Rate (CFS) - Sommers RQ-30 | Amount Diverted (AF)* - Sommers RQ-30 |
|---------------------------------|--------------------------------------|--------------------------------|---|---------------------------------------|
| 01/04/2026 06:00:00 PM | 32.4 | 2.7 | error | - |
| 01/04/2026 07:00:00 PM | 31.2 | 2.6 | error | - |
| 01/04/2026 08:00:00 PM | 30.9 | 2.6 | error | - |
| 01/04/2026 09:00:00 PM | 31.7 | 2.6 | error | - |
| 01/04/2026 10:00:00 PM | 31.5 | 2.6 | error | - |
| 01/04/2026 11:00:00 PM | 31.6 | 2.6 | error | - |
| Average Flow: | 33.79 | 469.13 | - | - |
| Dataset Device Utilized: | SONTEK SL | SONTEK SL | SOMMERS RQ-30 | SOMMERS RQ-30 |

*Amount diverted is calculated using the average hourly flow rate in CFS.